

MILDE & HOFFBERG, LLP

COUNSELORS IN INTELLECTUAL PROPERTY LAW

10 BANK STREET, SUITE 400

WHITE PLAINS, NY 10606

TEL: (914) 949-3100

FAX: (914) 949-3416

INTHEOFFICE@MILDE.COM

KARL E. MILDE, JR.

STEVEN M. HOFFBERG

OF COUNSEL:

CHERYL H. AGRIS, Ph.D.²

WWW.MILDE.COM

PAUL S. HOFFMAN

SAMUEL SHIPKOVITZ, Ph.D.³

THOMAS M. PITECOFF

NANCY A. BIRD

VIA TELEFAX

¹ALSO ADMITTED IN CT

²ALSO ADMITTED IN NJ

³ADMITTED IN DC, VA, CH ONLY

FAX NO. (703) 746-9195

TO: Office of Initial Patent Examination's
Filing Receipt Corrections
Alexandria, VA 22313-1450

ART UNIT: 3744

EXAMINER :

CASE NO.: HUDSON 208

SERIAL NO.: 10/730,791

TOTAL NO. OF PAGES (INCLUDING THIS PAGE): 3

MILDE & HOFFBERG, LLP

By

Steven M. Hoffberg

Reg. No. 33,511

I hereby certify that this paper is being facsimile
transmitted to the Patent and Trademark Office on the date
shown below.

Steven M. Hoffberg

Name (Type or Print)

Signature

Date

IF THIS TRANSMISSION IS NOT COMPLETE, PLEASE CALL (914) 949-3100

HUDSON 208
IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants : Kevin Zugibe, et al.
Serial No. : 10/730,791
Filed : December 9, 2003
For : METHOD AND APPARATUS FOR OPTIMIZING
REFRIGERATION SYSTEMS
Art Unit : 3744
Customer No. : 10037

March 15, 2003

VIA TELEFAX (703) 746-9195
Office of Initial Patent Examination's
Filing Receipt Corrections
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:


REQUEST FOR CORRECTED FILING RECEIPT

The filing receipt in the above-identified patent application was found to have the following error.

Change Correspondence name from "MIDDLE & HOFFBERG, LLP" to --MILDE & HOFFBERG, LLP--.

Please prepare and issue a corrected filing receipt for this application.

Respectfully submitted,


Steven M. Hoffberg
Reg. No. 33,511

MILDE & HOFFBERG, LLP
10 Bank Street - Suite 460
White Plains, NY 10606
(914) 949-3100



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPL NO.	FILING OR 371 (c) DATE	ART UNIT	FIL FEE REC'D	ATTY. DOCKET NO	DRAWINGS	TOT CLMS	IND CLMS
10/730,791	12/09/2003	3744	669	HUDSON 208	8	42	5

CONFIRMATION NO. 4809

MIDDLE & HOFFBERG, LLP
SUITE 460
10 BANK STREET
WHITE PLAINS, NY 10606

FILING RECEIPT

OC000000012064907

Date Mailed: 03/10/2004

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please write to the Office of Initial Patent Examination's Filing Receipt Corrections, facsimile number 703-746-9195. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

Applicant(s)

Kevin Zugibe, Greenwood Lake, NY;
Riyaz Papar, The Woodlands, TX;

Domestic Priority data as claimed by applicant

This appln claims benefit of 60/431,901 12/09/2002
and claims benefit of 60/434,847 12/19/2002

Foreign Applications

If Required, Foreign Filing License Granted: 03/09/2004

Projected Publication Date: To Be Determined - pending completion of Corrected Papers

Non-Publication Request: No

Early Publication Request: No

** SMALL ENTITY **

Title

Method and apparatus for optimizing refrigeration systems